



https://www.xheatpress.com/rosin-presses/

TV Channel

👫 Wechat Contact

Solvent-less Rosin Presss & Accessories

XINHONG GROUP LIMTED

Product Center

Factory Address: Baijin Industrial Zone, Baizhang Town, Minqing County, Fuzhou City, Fujian Province, China Office Address: 923-932#, 9/F., La Cite Block 40, No. 1-1 High-tech Avenue, High-tech Zone, Fuzhou City, Fujian Province, China Phone: 86-0591-83952222 Fax: 86-0591-83805930 Website: https://www.xheatpress.com/rosin-presses/ Email: sales@xheatpress.com

Featured Supplier



ABOUT US

Xinhong Group reorganized and expanded business in 2011, and has acquired quality management system certification of ISO9001, ISO14000, OHSAS18001, CE and UKCA product labels . Solvent-less rosin press is new product line for Xinhong Group since 2014, our team are offering an extensive range of equipment, accessories, and innovative process solutions that



are based on advanced technology and a real knowledge of the plant extraction industry. Our team have designed and delivered the most reliable, efficient, innovative, and cost-effective solutions for the process and overall project implementation.

Xinhong Capability









CONTENTS

Canna Extracts Personal Manual Series

- 450kg Mini Rosin Press MRP Lite ...
- 550kg Mini Rosin Press MRP Mighty......
- 2 Tons Mini Rosin Press MRP Pro.....

Canna Extracts Personal Hydraulic Series

- 3/5/10 Tons Hydraulic Rosin Press HRP Lite....
- 5/10/20 Tons Hydraulic Rosin Press HRP Pro.
- 5/10 Tons Hydraulic Rosin Press HRP Pro+.....

Canna Extracts Personal Electric Series

- 1 Ton Electric Rosin Press ERP Mighty.....
- 5 Tons Electric Rosin Press ERP Pro.....

Canna Extracts Industrial Mate Series

- 20 Tons Hydraulic Rosin Press HRP Lion.....
- 20 Tons Pneumatic Rosin Pres HRP Gorilla

Rosin Press Accessories Rosin Press Controller Instruction Which Rosin Press is Best for Me?





 	.01-02
 	.03-04
 	05-06

	.07-08
)	.09-10
	.11-12

 ••••	 	 	 ••••	 •••	 	•••	•••		 	 	 •••	•••	 •••	•••	 	 •••	 •••	 	1;	3-	1	4
 	 	 	 	 	 			•••	 	 	 		 		 	 •••	 	 ••••	1	5-	• 1	6

 	 17-18
 	 19-20

 21-24
25-26
 27-28



Personal rosin press is the most lightweight model in our press line (G.W. only 4.6kg). Despite being compact, this manual machine generates up to 450kg of pressing force. The press features sturdy construction, a locking lever mechanism, adjustable pressure, 5 x 7.5cm dual heating insulated solid aluminum plates, temperature controls located at the top of the press,. Portable, sturdy and efficient, it is perfect for personal desktop operating or pressing during travel.









 	-	-	-	-	-	 -	-	-	

.

▼ Technical Parameters

Shipping Weight Certificate

Digital Pid Controller

- 1

The extraction press digital controller located at the top, it is used to set temperature for its 5×7.5 cm dual heating plates, temperature scale options (°F or °C) and press timer.



Food Grade Aluminum Plates

5 x 7.5cm heat-insulated solid 6061 food grade aluminum plates with two separate heating elements heat up evenly and keep the temperature for the setting time precisely.

✤ Canna Extracts Mini Rosin Press

MRP Lite
110V/220V
100W
5 x 7.5cm
Digital Pid Controller
185°F / 85 °C
±4°F/2°C
450kg /1000lbs
ocking Lever Mechanism
Pressure Knob
2-3 Grams
19 x 12 x 26cm
29 x 20 x 31cm
3.9kg
4.6kg
CE,UKCA



Portable & Personal Press

Very lightweight (under 4kg) and easy to carry, almost same height like a 500ml Coke bottle. The heat extraction press is an ideal personal press and it is fun to operate, and no other equipment is required to start pressing.



Sturdy Made & Adjustable Pressure

The MRP Lite generates Max. 450kg pressing force, the knob above the heating plates also allows you to adjust the pressure between the plates to accommodate different plant material volume.

Two Ch



Canna Extracts Mini Portable Rosin Press MRP Mighty makes it easier than ever to press plant material at home. Just set up your temperature and time on the digital control panel, load your herbs, and press away! This stylish appliance in a variety of colors features 5 x 7.5cm solid aluminum 6061 heat plates with stable heating tubes, convenient lever mechanism, and removable dust cover.















MRP Mighty is equipped with a precise two-channel temperature and timer controls. You can program your press with desired temperature separately for each plate, temperature scale (°F or °C) and set your timer.



Food Grade Aluminum Plates

5 x 7.5cm heat-insulated solid 6061 food grade aluminum plates with two separate heating elements heat up evenly and keep the temperature for the setting time precisely.


Canna Extracts Mini Rosin Press Pro

MRP Mighty
110V/220V
100W
5 x 7.5cm
annel Temp. & Timer Controller
185°F / 85 °C
±4 °F / 2°C
550kg / 1200lbs
ocking Lever Mechanism
Pressure Knob
2-3 Grams
24.5 x 13.5 x 26cm
35.7 x 19.1 x 32cm
5.5kg
6.5kg
CE,UKCA



Dust Free Cover


Canna Extracts comes with a removable dust cover that keeps the working surface of the litter and dust free between pressings to minimize its maintenance cleaning and preparation time for your next extraction job.



Sturdy Made & Adjustable Pressure

The MRP Mighty generates Max. 550kg pressing force, the knob above the heating plates also allows you to adjust the pressure between the plates to accommodate different plant material volume.

Two Ch




Canna Extracts MRP Pro Manual Rosin Press is another compact and lightweight model in our press line. It is somewhat similar to its predecessor, the MRP Lite model, but much more powerful (it generates up to 2 Ton of pressing force), with well aligned slightly larger 7.5 x 7.5 cm plates, and a complimentary table clamp that allows you to securely attach the press to any work surface for added stability. This is an ideal tool to start your solvent-less extraction while on the go.











▼ Technical Parameters

Model

Voltage

Power

Heat Plates

Controller

Recommended Temp.

Temp. Accuracy

Max. Pressing Force

Working Style

Pressure Adjustment

Suggested Load Material

Dimension (L x W x H)

Packaging (L x W x H)

🦳 😑 Precise Temp. & Timer Controls

Canna Extracts MRP Pro is equipped with a precise two-channel temperature and timer controls. You can program your press with desired temperature separately for each plate, temperature scale (°F or °C) and set your timer.



Г

Fast Fixed Table Clamp

Table Clamp with a knob is easy to lock or unlock the press on the table, Does not shift Not only is it comfortable to operate, but it also saves time and effort.

Canna Extracts Mini Rosin Press Pro+

MRP Pro
110V/220V
350W
7.5 x 7.5cm
annel Temp. & Timer Controller
185°F / 85 °C
±2 °F/1 °C
2Tons
ocking Lever Mechanism
Pressure Wheel
3-6 Grams
16.8 x 26.6 x 34.6cm
41.5 x 32.5 x 21.5cm
11.5kg
13kg
CE,UKCA



Integrated Steel Handle

Damage-free Lever System Guarantee -The innovated lever system is made of a blackened steel body, a U-shape steel, chrome steel connecting rod, pressure adjusting knob, and an extra-long handle (25cm long).



Food Grade Aluminum Plates

Dual 7.5 x 7.5cm heat-insulated solid 6061 food grade aluminum plates with two separate heating elements heat up evenly and keep the temperature for the setting time precisely. well suited to press 3.5 - 5g flower or kief, hash, etc.

Digi



Canna Extracts HRP Lite generates 3/5/10 Tons of crushing force and is equipped with 7.5 x 12cm insulated solid aluminum dual heating plates, precise temperature and timer control with a built-in power conservation option, and a carrying handle. The pressure and ram speed is controlled by simple pumping of the cranking handle.













Canna Extracts HRP Lite is equipped with a precise digital PID temperature and timer controls. You can program your press with desired temperature separately for each plate, temperature scale (°F or °C) and set your timer.

Food Grade Aluminum Plates

7.5 x 12cm heat-insulated solid 6061 food grade aluminum plates with two separate heating elements heat up evenly and keep the temperature for the setting time precisely.

✤ Canna Extracts Hydraulic Rosin Press

HRP Lite(5Tons)
110V/220V
800W
7.5 x 12cm
ital Temp. & Timer Controller
185°F / 85 °C
±2°F/1°C
3/5/10 Tons
Hydraulic
Hydraulic Jack
3-14 Grams
35 x 15 x 58cm
40 x 32 x 64cm
20kg
26kg
CE,UKCA




Easy to Operate

All-In-One, No extra equipment required. Ergonomic handle design allows you to move the press conveniently.



Suction Cups

4 suction cups at bottom grab the extraction press for strong & stable hold on bench or desk.



This Press Does Not Ship to USA or Germany

Canna Extracts HRP Pro generates Max. 5/10/20 Tons of crushing force and is equipped with 6 x 15cm insulated solid aluminum dual heating plates, precise temperature and timer control with a built-in power conservation option, and a carrying handle. The pressure and ram speed is controlled by simple pumping of the cranking handle.

-35cm



Precise Temp. & Timer Controls

Canna Extracts HRP Pro is equipped with a precise LCD temperature and timer controls. You can program your press with desired temperature separately for each plate, temperature scale (°F or °C) and set your timer.





HOT

....

15cm

Canna Extracts







Food Grade Aluminum Plates

6 x 15cm heat-insulated solid 6061 food grade aluminum plates with two separate heating elements heat up evenly and keep the temperature for the setting time precisely.



✤ Canna Extracts Hydraulic Rosin Press Pro

HRP Pro(10Tons)
110V/220V
800W
6 x 15cm
annel Temp. & Timer Controller
185°F / 85 °C
±4 °F / 2 °C
5/10/20 Tons
Hydraulic
Hydraulic Jack
3-14 Grams
35 x 15 x 58cm
40 x 32 x 64cm
20kg
26kg
CE,UKCA



DripTek Stand

New DripTek stand can tilt HRP Pro heat extraction press up to to 90°, and hold the position, while fresh concentrate flow dripping off plates during pressing. (DripTek mount stand sold separately)



Easy to Operate

All-In-One, No extra equipment required. Ergonomic handle design allows you to move the press conveniently. Suction cups at bottom grab machine for strong & stable hold on bench or desk.



Canna Extracts HRP Pro+ is the perfect rosin press for seasoned connoisseurs as well as beginning pressers who demand precision, affordability, and convenience in one package. With its 5/10 Tons hydraulic power means you can get high-quality presses every time, while the built-in pressure gauge and other sensors and controls ensures your rosin is delivered at the desired pressure and temperature for optimum results.







45

Pressure Gauge

experience.

0 0 0 0

- Precise Temp. & Timer Controls

Canna Extracts HRP Pro+ is equipped with a precise two-channel temperature and timer controls. You can program your press with desired temperature separately for each plate, temperature scale (°F or °C) and set your timer.

Not only showing you live pressure

readings but also suggested pressure ranges for a given precursor weight.

Enjoy the gradual increase in force, the

fresh concentrate flows slowly, ultimate

Model	
Voltage	
Power	
Heat Plates	
Controller	Two Ch
Recommended Temp.	
Temp. Accuracy	
Max. Pressing Force	
Working Style	
Pressure Adjustment	
Suggested Load Material	
Dimension (L x W x H)	
Packaging (L x W x H)	
Product Weight	
Shipping Weight	
Certificate	

▼ Technical Parameters

11

Canna Extracts Hydraulic Rosin Press Pro+

HRP Pro+(5Tons)
110V/220V
360W
7.5 x 10cm
annel Temp. & Timer Controller
185°F / 85 °C
±4 °F / 2 °C
5/10 Tons
Hydraulic
Hydraulic Jack
3-12 Grams
37.3 x 23.0 x 44.4cm
36 x 32 x 55cm
15.6kg
18.5kg
CE,UKCA



Built-In DripTek Stand


Detachable DripTek stand can tilt HRP Pro+ Hydraulic Rosin Press press up to to 60° and hold the position, while fresh concentrate flow dripping off plates during pressing.



• Food Grade Aluminum Plates

Dual 7.5 x 10cm heat-insulated solid 6061 food grade aluminum plates with two separate heating elements heat up evenly and keep the temperature for the setting time precisely.





Canna Extracts ERP Mighty Electric Rosin Press is equipped with an electric putter (generates up to Iton of press-
ing force), a precise LCD temp.&timer controls, 6 x 9cm heat-insulated 6061 food-grade solid aluminum plates.
It's easy to operate as a regular coffee machine, just set up your temperature and time on the digital control
panel, load your herbs, and push a start button!











200 ¥ 45 s

Precise Temp. & Timer Controls

▼ Technical Parameters

Canna Extracts ERP Mighty is equipped with precise LCD temperature and timer controls. You can set the desired temperature separately for each plate, temperature scale (°F or °C), and set your timer.

6 x 9cm heat-insulated solid 6061 food-grade aluminum plates with two

separate heating elements heat up

evenly and keep the temperature for

the setting time precisely.

Model	ERP Mighty
Voltage	110V/220V
Power	120W
Heat Plates	6 x 9cm
Controller	Two Channel Temp. & Timer Controller
Recommended Temp.	185°F / 85 °C
Temp. Accuracy	±2°F/1°C
Max. Pressing Force	1Ton
Working Style	Mechanical Electric
Pressure Adjustment	Press Button
Suggested Load Material	3-5 Grams
Dimension (L x W x H)	17 x 18 x 28cm
Packaging (L x W x H)	22.5 x 23 x 33cm
Product Weight	6.8kg
Shipping Weight	7.5kg
Certificate	CE,UKCA

✤ Canna Extracts Electric Rosin Press



Hands free style start with Me

An electric putter and "Press" & "Release" button to control pressure freely, the heating plate can move up and down arbitrarily. just hold or inching "Press" button to start pressing and hold or inching "Release" button to separate.




Lightly but Sturdy Made

Lightly and easy to carry, made of precision laser cutting of premium steel and excellent welding craft, non-rusting and durable.







Model Voltage Power **Heat Plates** Controller Two Ch Recommended Temp. Temp. Accuracy Max. Pressing Force Working Style Pressure Adjustment Suggested Load Material Dimension (L x W x H) Packaging (L x W x H) **Product Weight Shipping Weight**

▼ Technical Parameters

Canna Extracts Rosin Press ERP Pro is electrical powered, Say Goodbye to Oil-leaking hydraulic Press and noisy air compressor of pneumatic press. Just hold "Press" button to start pressing and hold "Release" to separate. This press is equipped with a precise two-channel temperature and timer controls. It's a small but strong press and can generate, Max. 5T pressing force could compare with any regular hydraulic press.











Certificate

📔 🥚 Precise Temp. & Timer Controls

Canna Extracts ERP Pro is equipped with a precise two-channel temperature and timer controls. You can program your press with desired temperature separately for each plate, temperature scale (°F or °C) and set your timer.



Food Grade Aluminum Plates

7.5 x 12cm heat-insulated solid 6061 food grade aluminum plates with two separate heating elements heat up evenly and keep the temperature for the setting time precisely.

Canna Extracts Electric Rosin Press Pro

ERP Pro
110V/220V
800W
7.5 x 12cm
annel Temp. & Timer Controller
185°F / 85 °C
±2°F/1°C
5 Tons
Hydraulic Electric
Press Button
3-10 Grams
31 x 20 x 40cm
39 x 37 x 53cm
30.5kg
33kg
CE,UKCA



Electric Hands-Free Style

Say Goodbye to oil-leaking hydraulic Press and noisy air compressor of pneumatic press. Just hold "Press" button to start pressing and hold "Release" button to separate.



Lightweight but Sturdy Made

The ERP Pro is lightweight but very sturdy made, it generates Max. 5 tons pressing force and could compare with any regular hydraulic press.

Two Ch

▼ Technical Parameters

Model

Voltage

Power

Heat Plates

Controller

Recommended Temp.

Temp. Accuracy

Max. Pressing Force

Working Style

Pressure Adjustment

Suggested Load Material

Dimension (LxW x H)


Packaging (L x W x H)

Product Weight

Shipping Weight

Certificate





Canna Extracts HRP Lion 20 Ton is specially designed for a solventless, pure extraction process on a larger scale. This unit gives you more pressing power and a larger pressing quantity for the industry's high-level extractors. The heating plates are made of food-grade insulated aluminum. The precise two-channel temperature and timer controls allow you to set the temp. for upper and bottom platens separately.









¢∰≣	5 10	۶,	
	4 S	5	
• •	0	0	
~ ~	· •	°.	Ι.

- Precise Temp. & Timer Controls

Canna Extracts HRP Lion is equipped with precise LCD temperature and timer controls. You can set the desired temperature separately for each plate, temperature scale (°F or °C), and set your timer.

Pressure Gauge Not only showing you live pressure readings but also suggested pressure ranges for a given precursor weight. Enjoy the gradual increase in force, the fresh concentrate

flows slowly, ultimate experience.



Canna Extracts Hydraulic Rosin Press 207

HRP Lion
110V/220V
1200W
10 x 17.5cm
vo Channel Temp. & Timer Controller
185°F / 85 °C
±2 °F/1 °C
20Tons
Hydraulic
Hydraulic Jack
3-40 Grams
37 x 30 x 47cm; 12.5 x 12.5 x 35cm
43 x 37 x 55cm; 69 x 23 x 28cm
49kg; 18kg
53kg; 19.5kg
CE,UKCA



Drip Tech System

Drip Tech System can tilt HRP Lion up to 90 degrees and hold the position while fresh concentrate flow dripping off plates during pressing to allows rosin to fall immediately to a cold surface below for terpene preservation.



Large Platen Size

10 x 17.5cm heat-insulated solid 6061 food-grade aluminum plates offer more space to provide the most versatility in commercial use for both cannabis flower and kief.





HRP Gorilla Industrial Strength Hybrid Rosin Heat Press produces up to 20 Tons of force and is built for mass rosin production. It equipped with built in DripTech function. This press is powered by an electric-pneumatic system. Its large heating plates are made of food-grade aluminum for even heat distribution and are insulated to prevent heat loss to other parts of the press. It can extract up to 70 grams of flower per load. The microcomputer touch control unit allows you to use a lower recommended temperature settings and controlled pressure to produce premium quality oil with the best aroma, taste, and clarity.













• FREESTYLE" & "AUTOMATIC" Mode

FREESTYLE mode, just hold or inch "Press" & "Release" buttons to control pressure freely, enjoy the pleasure of the process of operating. AUTOMATIC mode, one button for all operations, free your hands.



DripTech function&316 food grade tray

With the ingenious DripTech design and tray, the Heating plates tilt during pressing, the fresh concentrate flow dripping off plates to the tray, Easy to collect.


Canna Extracts Pneumatic Rosin Press 207

HRP Gorilla
110V/220V
2000W
15 x 26cm
Touch Smart Controller
185°F / 85 °C
±2°F/1°C
20Tons
Pneumatic
Press Button
3-45 Grams
91.4 x 81.8 x 141cm
100 x 94 x 158cm
260kg
310kg
CE,UKCA



Touch Smart controller

Multi-functional Smart Controller independently controls the temp. of the upper and bottom plates. You can easily get PSI once you input data of pressure value and filter bag size.



Large 6061 Food-Grade Plates


Heat-insulated solid 6061 food-grade aluminum plates offer more space to provide the most versatility in commercial use, which makes the work more efficient; Mature Craftsmanship and Advanced Lathe make Heat Plate smoother and brighter.

🔸 🛠 Rosin Press Plates Kit

Model #: RPKT36 Material: Food Grade 6061 Aluminum Size: 7.5 x 15cm, 10 x 15cm, etc. Packaging: Carton

Highlights

- Precise Temp. & Timer Controller
- Dual Heating Insulated Plates
- 10 20 Ton Hydraulic or Air-Operated Shop Press



Rosin Press Mold Presser

Model #: RMP Structure: Lever Mechanism Application: Kinds of Press Molds, Pollen-Press Molds Packaging: Carton

Highlights

- Compacts Your Rosin Molds
- Increases Yields
- Better Pressing Result
- Reduces Filter Bag Blowouts

Rosin Press Mold

Model #: RPM510/ RPM515 Material: Food Grade 6061 Aluminum Size: 5 x 10cm, 5 x 15cm, etc. Packaging: Gift Box

Highlights

- Perfect Workmanship
- Compacts Your Herbs
- Increases Yields
- Reduces Filter Bag Blowouts




* Rosin Pollen-Press Mold

Model #: RPPM27/ RPPM35 Material: 304 Stainless Steel Size: 2.7 x 0.3 x 10cm, 3.5 x 0.3 x 12cm Packaging: Gift Box

Highlights

- Perfect Workmanship
- Easy to Clean & Dishwasher Safe
- Compacts Your Herbs
- Increases Yields
- Reduces Filter Bag Blowouts









• • Cooling Plate for Collection

Model #: CP15 Material:Food Grade 6061 Aluminum Mark: Cooled in Refrigerator Before Use Size: 15 x 15cm Packaging: Regular Packaging

Highlights

- Food Grade Contact Surface
- Cooling Rosin Oil Purpose
- Conveniently placing in Refrigerator



💠 Rosin Filter Bags

Model #: RRB Material: 100% Dye-Free Food Grade Nylon Mesh Spec.: 37/90/120/160µm Size: 5 x 10cm, 5 x 15cm, etc. Packaging: At Buyer's Option

Highlights

- Super Tight Folded Seam Nylon
- Double-Stitches Eliminates Breaking
- Boiling and Solvent Resistant
- Withstand Temperature 200°C

Rosin Wax Collection Tool

Model #: RWCT Material: 304 Stainless Steel Size: 5 Double-Ended Tools Packaging: Free Carrying Case

Highlights

- Portable, Fits in Pocket
- Working Great with Wax
- Ten Precision Edges, Variety of Shapes



💠 Rosin Parchment Paper

Model #: RPP Material: Double-Side Coated with Natural Silicone Thickness: 30gsm, 40gsm, ect. Packaging: At Buyer's Option

Highlights


- Non-Stick; Hot-Plate Safe
- Heat Resistant up to 230°C
- Safe to use with Scrapers
- Made by Natural Materials
- Reusable up to 2-4 times





- 1. Press Set 🖲 button on the control panel (Fig. 1) to go to the temperature setting mode for the top platen.
- Press Up \bigstar or Down \bigcirc buttons to select the desired temperature (Fig.2). The selected temperature is shown on the U line of the display. Tip:Enter the temperature either in °F or °C; you will be able to select the temperature scale later.
- 3. Press Set 🖲 button again (Fig. 3) to go to the temperature setting mode for the bottom platen.
- Press Up (\bigstar) or Down (\bigtriangledown) buttons to select the desired temperature (Fig.4). 4. The selected temperature is shown on the \lfloor line of the display.
- 5. Press Set button again (Fg.5)to go into the timer setting mode.
- Press Up (\blacktriangle) or Down (\bigtriangledown) buttons to select the desired time in seconds (Fig.6). 6.
- 7. Press set \bigcirc button to go to the temperature scale selection mode (Fig. 7). TiP: Depending on your machine's default settings, you may either see "F" or "C" on the display indicating the currently selected temperature scale (°F or °C).
- 8. Press Up (A) or Down (buttons to select either °F or °C (Fig. 8) OR skip this step if you are satisfied with the current selection.
- 9. Press Set 🖲 button TWO times (Fig. 9) to record all control panel's settings. The platens start heating, and the heating icons are now displayed on the screen (Fig.10).
- 10. Wait until the plates reach the desired temperature and the heat icons are turned off (Fig. 11).
- 11. Press the TIMER button on the control panel (Fig. 12). The control panel starts showing a countdown. Wait unitl the countdown ends and the press starts beeps, then press the TIMER button again to turn off the timer and stop beeping.









SETTING CONTROL PANEL

Fig. 3

Fig. 6

Fig. 12

✤ Which Heat Extraction Press is Best for Me?

Sku	MRP Lite	MRP Mighty	MRP Pro	HRP Lite	HRP Pro
Machine Photo					
Model Name	Mini Rosin Press	Mini Rosin Press Pro	Mini Rosin Press Pro+	Hydraulic Rosin Press Lite	Hydraulic Rosin Press Pro
Max. Force	450kg	550kg	2 Tons	3/5/10 Tons	5/10/20 Tons
Operation System	locking Lever Mechanism	locking Lever Mechanism	Locking Lever Mechanism	Hydraulic	Hydraulic
Heat Plates Size	5 x 7.5cm	5 x 7.5cm	7.5 x 7.5cm	7.5 x 12cm	6 x 15cm
Control System	Digital Temp. & Timmer Controller	Two Channel Temp. & Timer Controller	Two Channel Temp. & Timer Controller	Digital Temp. & Timmer Controller	Two Channel Temp. & Timer Controller
Machine Dimension	19 x 12 x 26cm	24.5 x 13.5 x 26cm	16.8 x 26.6 x 34.6cm	35.5 x 30 x 56cm	35 x 15 x 58cm
Materials Loaded	2–3 Grams	2–3 Grams	3–6 Grams	3.5-12 Grams	3.5-16 Grams

Sku	HRP Pro+	ERP Mighty	ERP Pro	HRP Lion	HRP Gorilla
Machine Photo					
Model Name	Hydraulic Rosin Press Pro+	Electric Rosin Press Mighty	Electric Rosin Press Pro	Hydraulic Rosin Press Lion	Pneumatic Rosin Press Gorilla
Max. Force	5/10 Tons	1 Ton	5 Tons	20 Tons	20 Tons
Operation System	Hydraulic	Electric	Electric	Hydraulic	Pneumatic
Heat Plates Size	7.5 x 10cm	6 x 9cm	7.5 x 12cm	10 x 17.5cm	15 x 26cm
Control System	Two Channel Temp. & Timer Controller	Touch Smart Controller			
Machine Dimension	37.3 x 23.0 x 44.4cm	22.5 x 23 x 33cm	31 x 20 x 40cm	43 x 37 x 55cm; 69 x 23 x 28cm	91.4 x 81.8 x 141cm
Materials Loaded	3–12 Grams	3–5 Grams	3.5-12 Grams	3-40 Grams	3-45 Grams